

01-12-00

PTO/SB/05 (4/98)

Please type a plus sign (+) inside this box → ☐Approved for use through 09/30/2000. OMB 0651-0032  
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**UTILITY  
PATENT APPLICATION  
TRANSMITTAL**

(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))

Attorney Docket No. **21/99**First Inventor or Application Identifier **Bakman**Title **Method and system for Automatic Documentation of Configurable Systems.**Express Mail Label No. **EG590098596US****APPLICATION ELEMENTS**

See MPEP chapter 600 concerning utility patent application contents.

1. ☒ \* Fee Transmittal Form (e.g., PTO/SB/17)  
(Submit an original and a duplicate for fee processing)
2. ☒ Specification [Total Pages **37**]  
(preferred arrangement set forth below)
- Descriptive title of the invention
  - Cross References to Related Applications
  - Statement Regarding Fed sponsored R & D
  - Reference to Microfiche Appendix
  - Background of the invention
  - Brief Summary of the invention
  - Brief Description of the Drawings (if filed)
  - Detailed Description
  - Claim(s)
  - Abstract of the Disclosure
3. ☒ Drawing(s) (35 U.S.C. 113) [Total Sheets **13**]
4. Oath or Declaration [Total Pages **3**]
- a. ☒ Newly executed (original or copy)
- b. ☐ Copy from a prior application (37 C.F.R. § 1.63(d))  
(for continuation/divisional with Box 16 completed)
- i. ☐ **DELETION OF INVENTOR(S)**  
Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).

\* NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).

ADDRESS TO: Assistant Commissioner for Patents  
Box Patent Application  
Washington, DC 20231

5. ☐ Microfiche Computer Program (Appendix)
6. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
- a. ☐ Computer Readable Copy
- b. ☐ Paper Copy (identical to computer copy)
- c. ☐ Statement verifying identity of above copies

**ACCOMPANYING APPLICATION PARTS**

7. ☒ Assignment Papers (cover sheet & document(s))
8. ☐ 37 C.F.R. § 3.73(b) Statement (when there is an assignee) ☒ Power of Attorney
9. ☐ English Translation Document (if applicable)
10. ☒ Information Disclosure Statement (IDS)/PTO-1449 ☒ Copies of IDS Citations
11. ☐ Preliminary Amendment
12. ☒ Return Receipt Postcard (MPEP 503)  
(Should be specifically itemized)
13. ☒ \* Small Entity Statement(s) ☐ Statement filed in prior application, Status still proper and desired (PTO/SB/09-12)
14. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)
15. ☒ Other: **MAILING CERTIFICATE 37 CFR 1.10**

16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP)

of prior application No. \_\_\_\_\_ / \_\_\_\_\_

Prior application information: Examiner \_\_\_\_\_

Group / Art Unit: \_\_\_\_\_

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

**17. CORRESPONDENCE ADDRESS**☐ Customer Number or Bar Code Label

(Insert Customer No. or Attach bar code label here)

or ☒ Correspondence address below

Name	Shalom Wertsberger				
Address	30 Fem Lane				
City	South Portland	State	ME	Zip Code	04106
Country	USA	Telephone	(207) 799-9733	Fax	(207) 799-3698

Name (Print/Type)	Shalom Wertsberger	Registration No. (Attorney/Agent)	43,359
Signature	<i>Shalom W.</i>	Date	1/11/2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

01/11/00

3c564 U.S. PTO

3c564 U.S. PTO

3c530 U.S. PTO  
09/481069  
01/11/00

**STATEMENT CLAIMING SMALL ENTITY STATUS  
(37 CFR 1.9(f) & 1.27(c))--SMALL BUSINESS CONCERN**

Docket Number (Optional)  
21/99

Applicant, Patentee, or Identifier: Bakman

Application or Patent No.: \_\_\_\_\_

Filed or Issued: \_\_\_\_\_

Title: Method and system for Automatic Documentation of Configurable Systems.

I hereby state that I am

- ☐ the owner of the small business concern identified below:  
☒ an official of the small business concern empowered to act on behalf of the concern identified below:

NAME OF SMALL BUSINESS CONCERN ecora.com Corp.

ADDRESS OF SMALL BUSINESS CONCERN 299 Hanover Street, Portsmouth, NH 03801

I hereby state that the above identified small business concern qualifies as a small business concern as defined in 13 CFR Part 121 for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time, or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby state that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention described in.

- ☒ the specification filed herewith with title as listed above.  
☐ the application identified above.  
☐ the patent identified above.

If the rights held by the above identified small business concern are not exclusive, each individual, concern, or organization having rights in the invention must file separate statements as to their status as small entities, and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e)

- Each person, concern, or organization having any rights in the invention is listed below:  
☒ no such person, concern, or organization exists.  
☐ each such person, concern, or organization is listed below.

Separate statements are required from each named person, concern or organization having rights to the invention stating their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

NAME OF PERSON SIGNING Alexander Bakman

TITLE OF PERSON IF OTHER THAN OWNER President

ADDRESS OF PERSON SIGNING 10 Westbridge Dr., Hampton, NH 03842

SIGNATURE Alexander Bakman

DATE 1/11/2000

**STATEMENT CLAIMING SMALL ENTITY STATUS  
(37 CFR 1.9(f) & 1.27(b))--INDEPENDENT INVENTOR**

Docket Number (Optional)

21/99

Applicant, Patentee, or Identifier: Bakman

Application or Patent No.: \_\_\_\_\_

Filed or Issued: \_\_\_\_\_

Title: System and Method for Automatic Documentation of Configurable Systems.

As a below named inventor, I hereby state that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees to the Patent and Trademark Office described in:

- ☒ the specification filed herewith with title as listed above.  
☐ the application identified above.  
☐ the patent identified above.

I have not assigned, granted, conveyed, or licensed, and am under no obligation under contract or law to assign, grant, convey, or license, any rights in the invention to any person who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern, or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- ☐ No such person, concern, or organization exists.  
☒ Each such person, concern, or organization is listed below.

E-Cora.com Corp..

Separate statements are required from each named person, concern, or organization having rights to the invention stating their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

Shalom Wertsberger

NAME OF INVENTOR

NAME OF INVENTOR

NAME OF INVENTOR

Shalom W.

Signature of inventor

Signature of inventor

Signature of inventor

Date

Date

Date

**STATEMENT CLAIMING SMALL ENTITY STATUS  
(37 CFR 1.9(f) & 1.27(b))--INDEPENDENT INVENTOR**

Docket Number (Optional)

**21/99**

Applicant, Patentee, or Identifier: bakman

Application or Patent No. \_\_\_\_\_

Filed or Issued: \_\_\_\_\_

Title: Method and system for Automatic Documentation of Configurable Systems.

As a below named inventor, I hereby state that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees to the Patent and Trademark Office described in:

- ☒ the specification filed herewith with title as listed above  
☐ the application identified above.  
☐ the patent identified above.

I have not assigned, granted, conveyed, or licensed, and am under no obligation under contract or law to assign, grant, convey, or license, any rights in the invention to any person who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e)

Each person, concern, or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- ☐ No such person, concern, or organization exists  
☒ Each such person, concern, or organization is listed below.

E-Cora.com Corp..

Separate statements are required from each named person, concern, or organization having rights to the invention stating their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

Alexander Bakman  
NAME OF INVENTOR

Alexander Bakman  
Signature of inventor

1/11/2000  
Date

Daniel Sabin  
NAME OF INVENTOR

Sabin  
Signature of inventor

1/11/2000  
Date

Tudor Hulubei  
NAME OF INVENTOR

Hulubei  
Signature of inventor

1/11/2000  
Date

---

---

## **Method and system for Automatic Documentation of Configurable Systems.**

The present invention relates to computer systems in general, and more particularly to systems and methods generation and management of automatic documentation for configurable computerized systems.

### **5       Background of the Invention**

Collaborative configurable systems are computer software systems, computer hardware systems or combinations thereof, wherein a system behavior is controlled and modifiable by a set of configuration data. Examples of such systems include, (but are not limited to), database management systems, electronic messaging and mail software and  
10 servers, electronic commerce systems, computer operating systems, (especially multi user system such as Unix® or Microsoft Windows NT®), database management systems, configurable network equipment such as routers switches, and the like. Those systems may comprise a single computer or multiple, interconnected computers, known as multi-server systems.

15 Configuration data is a collection of configuration parameters and data objects that control and modify at least a portion of the configurable system behavior. Complex configurable systems typically have a large number of such configuration parameters, often ranging in the hundreds and sometimes thousands of parameters. Often cross-dependencies are observed, where a change of one parameter will cause unforeseen and  
20 unintended system behavior requiring change to other parameters. Configuring such systems is difficult, and requires a high level of knowledge, skill and experience. The problem becomes exponentially more complex when several such systems are connected together, for example a number of cooperating computer servers, distributed e-mail servers, distributed database systems, and cooperating network switches and routers or  
25 any other distributed configurable system. In those cases, changing a parameter on one system may even disrupt the operation of another.

Due to the complexity involved in the configuration, once configured, the configurable system becomes a system of its own merit, a special case separate from the general case of the generic non-configured system. While the configured system  
30 behavior may be constructed and understood using documentation for the generic system

combined with configuration data, such construction is time consuming and often wasteful and expensive. Therefore it is highly desirable to document the specific case of every instance of the configured system separately, in order to ease maintenance and troubleshooting, as well as to facilitate knowledge transfer to new personnel, and  
5 generally increase operational efficiency.

Generating such documentation is an extremely tedious job that often requires a highly trained professional to perform. Since the configuration of such systems changes with time, the task is a continual one, taxing information technology personnel. And thus automatic generation of such documentation as shown by the present invention is clearly  
10 advantageous. In these specifications, the word "automatic" and its derivative means an operation that is, or may be, created or coordinated primarily by a machine or a computer, especially as compared to chores and tasks that were formerly done primarily by human labor. In an automatic documentation generation step for example, little or no manual user intervention is necessary. Manual intervention implies steps such as manual data  
15 entry of configuration parameters, repeated text entries, etc.

Constraint programming (alternatively referred to as "constraints-based reasoning", or "constraint satisfaction") is a technique, most appropriate for computer use, which is based on creating a model of a problem in terms of the requirements for a solution. By defining acceptable values to variables and constraints that define and optionally quantify  
20 the allowed relationships among the values assigned to variables, a formal representation of the problem is produced. Standard constraints programming methods can use this representation to find a solution to the problem. The technique also offers an efficient approach to problem solving by making inferences on possible solutions. The technology is well known in the art. By way of example, constraints programming was used as an aid  
25 to system configuration as described in US patent 5,708,798 to Lynch et al. and in PCT/US97/21218 to Elfe et al. Constraint programming easily lends itself to diagnostics and also to the automatic documentation process described herewith.

While most configurable systems provide means for reading and printing the system configuration data, a distinction should be drawn between raw configuration data and  
30 documentation. Raw configuration data often relates to a single system in a multi-system

environment, and is mostly a cryptic list of variable names with their associated values, with little if any explanation of their meaning. An excellent example of raw configuration data may be found in Windows Registry, which is a common configuration space for the Microsoft Windows® operating systems. Documentation on the other hand, is an organized collection of knowledge that, separately or in combination, represents the state or configuration of a system, teaches system operation, and aids in troubleshooting. Documentation is characteristically constructed of complete sentences in a human readable language, with appropriate punctuation, paragraph and optionally section separation. Typically, documentation also includes access tools such as a table of contents (TOC) or an index to further ease access to specific sections of the data. Generally, documentation also attempts to explain the meaning behind the configuration parameters, optionally including the relationships between multiple systems and the meaning of several key parameters and their effect on system operation. Another optional feature of documentation is the ability to propose configurable parameter values for sample systems, or, in the case of the current invention, the system being documented. Optionally, drawings depicting the condition and interrelationship between the described system elements further enhance the documentation. It should also be noted that documentation is characterized primarily by its content and organization, and not by the medium on which it is presented. Thus documentation may be printed on paper, viewed or edited on a computer screen by the likes of a word processor or a World Wide Web browser, etc. Whether viewed on a computer screen or printed on paper, documentation helps preserve and manage the knowledge accumulated in an organization. It thus increases operational efficiency, helps educate new members, and aids in problem solving and design for future expansion.

There are currently several aids to grouping and displaying raw configuration data relating to computer systems. One such example is available from MessageWise® in Ottawa, Ontario, Canada. This system reads configuration data from several Microsoft Exchange servers, and places them in a database. Queries can then be placed against the data to find answers to specific question. However the MessageWise system does not provide a well-documented meaning of a textual and visual description, organized in an easily read document as described above.

---

Another configuration data collection tool named Emap and distributed by Microsoft® Corporation of Redmond WA, provides a graphical representation of connections between exchange servers in an organization. Similarly, several products allow representing an organizational data or voice network by drawings representing the network structure. These types of products are exemplified in US patent 5,926,463 to Ahern et al.

None of the above solutions provide documentation as described earlier in these specifications. All lack the effects and efficiency of teachings that a well organized textual and visual document provides, and thus do not provide the dept of knowledge preservation and knowledge management provided by such documents. It is clear therefore that there is an unfulfilled need in the industry to provide automated documentation generation, re-generation, and management tools for highly configurable systems.

### **Summary of the Invention**

It is therefore a goal of the current invention to provide a method and a system for automatic generation of documentation for computerized configurable systems.

The embodiments of the invention derive documentation from a combination of generic system knowledge and the configuration data of a specific system instance, such as one or more configured systems. They thus retrieve or gather, configuration parameters into a computer, and the computer selects predetermined explanatory text segments corresponding with relevant configuration parameters. (Retrieve, collect or gather are used interchangeably in this application and in this context of gathering configuration parameters from a configurable system). The computer outputs the selected text segments together with the corresponding parameters, thus forming a document specific to the configurable system. Preferably, the output is divided into sections and paragraphs where the parameter or a group of parameters, associated with a specific segment or paragraph is outputted in proximity to each other. Furthermore, the current invention preferably groups similar interrelated parameters and their associated text segments in proximity to each other.



---

Text selection is generally done by a template, implemented by any convenient method. The template will generally include placeholders for the configuration variables and their values, and optionally drawings and other explanatory material. The template may be implemented as a collection of text stored in a file, embedded within the program code, or in a database. Alternatively or in combination, the template may comprise text segments included as print statements that are selectively executed according to specific system configurations and other environmental conditions such as system location, ownership data and the like. These specifications relate interchangeably to different methods of producing a document from predetermined text segments merged with configuration parameters, as utilizing a template. Specific embodiments may use different methods as a matter of technical choice.

Preferably, the invention also automatically generates tools to ease the access to the information in such a document. Preferably, the invention provides a table of contents (TOC) detailing the relative locations of certain sections of the document. More preferably, an index of selected parameters and sections in the document is also provided, detailing their relative locations. Both the table of contents and the index may be adapted best to the document media, for example a printed TOC and index when the document is printed on paper, and alternatively hyperlinks or other computerized access methods may be used when the documentation is viewed on computer screen.

The invention is easily adaptable for various types of configurable systems having configurable parameters accessible by computer, especially for configurable software applications. Listed below are but a small sample of the systems and system types for which the invention is especially adaptable and beneficial: electronic messaging and mail delivery systems such as Microsoft Exchange<sup>®</sup> (Microsoft Corp, Redmond, WA), computer operating systems such as Microsoft Windows NT<sup>®</sup> or Windows 2000<sup>®</sup> and different varieties of the Unix<sup>®</sup> operating systems, groups of computers such as one or more Windows NT domains. Similarly, complex database management systems such as DB2<sup>®</sup> (IBM Corp, Armonk NY), Informix<sup>®</sup> (Informix, Menlo Park, CA), or Microsoft SQL Server<sup>®</sup>, and groupware applications like Lotus Notes<sup>®</sup> (Lotus Corp, Cambridge, MA) and GroupWise<sup>®</sup> (Novell Corp., Provo, Utah) all lend themselves to being documented by the present invention. Additional examples of configurable systems that

---

may benefit from the current invention include electronic commerce applications, enterprise management systems such as SAP<sup>®</sup> (SAP AG, Waldorf, Germany), BAAN (BAAN Corp, Barneveld, Netherland) and Peoplesoft<sup>®</sup> (Peoplesoft, Pleasanton, CA) and enterprise storage systems such as EMC<sup>2</sup><sup>®</sup> (EMC Corp, Hopkinton, MA) and Legato<sup>®</sup> (Legato Corp, Palo Alto, CA), and network nodes such as Cisco<sup>®</sup> routers (Cisco Corp, San Jose, CA).

Preferably, embodiments of the invention generate documentation by retrieving the configuration data of one or more configurable systems and providing a computer readable set of rules describing knowledge about the system. The rules has embedded in them a set of acceptable values associated with specific configuration parameter(s). The invention then compare the values of configuration parameters against the values expressed in the associated rules, and output an error or warning condition if a parameter violates those rules. The acceptable values may be fixed in the rule, or alternatively, may be computably modified based on portions of the configuration parameters. In addition to acceptable values, the program may also include indications of desired values that may be outputted as needed.

A method for providing the set of rules and the knowledge functionality as described above may be provided by a computer readable generic data model of the configurable system. The generic model corresponds to the interrelationship of the sub-components of the configurable system and thus reflects its underlying structure. After the configuration data is retrieved from the configured system, an instance model is constructed in accordance with the generic model. Optionally, the generic model incorporates the system knowledge described above, and includes sets of acceptable values and other interrelationships between the system sub-components. Preferably the system knowledge is implemented utilizing constraints programming logic and techniques, which allows for fast and efficient checking of a complex set of requirements, and easy flagging of error conditions. The generic model also facilitates the creation of a document that is organized in a manner most closely related to the structure of the configurable system, and further enhances the readability and reduces the time required to comprehend the system.

09464069 "01100

---

In a preferred embodiment of the invention, the raw data is parsed by a data parser program module, entered into a database, and merged into a unified or segmented text template. Rules are then coded into the program to specify values, method of computing values or locations of finding the appropriate values, against which the configuration parameters of the sampled system may be checked. This method allows the user to change the presentation of the document by embedding the results of queries against the database into the document in ways the user best believes will enhance system understanding or troubleshooting. Using such a database is advantageous due to the simplicity and low cost of the implementation.

10 An alternative object of the current invention is to provide identification of any configuration mismatches or potential problems in a configuration and to flag those conditions to the user. Optionally, optimization suggestions may be made based on the quantification of different aspects of the configuration data and the generic system knowledge.

15 Another alternative object of the invention is to provide means of comparing current and previous configurations and to point out differences between them. Such comparisons are useful during the troubleshooting of a system, which malfunctions due to unknown reason. By comparing an old, "known good" configuration with the current configuration, differences become apparent and, due to the documentation generating nature of the current invention, such changes may easily be placed in context and thus aid in determining if any of the modified parameters may have caused the malfunction.

25 It should be pointed out specifically that the invention, with its several capabilities, applies to multi-server configurable systems as well as single server configurable systems. This is a clear advantage since, as mentioned earlier, the system complexity grows exponentially with the number of servers. Examples of such multi-server environments are a plurality of server computers operating under the Windows NT operating system within a single domain, or multiple communicating domains with or without trust relationships. Another example is one or more Microsoft Exchange electronic mail servers in an organization. Similar in nature is a set of co-operating

---

configurable network nodes such as routers, switches, concentrators, frame relay access devices, and other nodes comprising a data or voice network.

It should also be noted that the invention may be integrated within the configurable system itself, either as an integral part of the system software or by having a separate program active on a computer that is a part of the configurable system.

The system operates generally by collecting configuration data from individual systems or from system sub-components that comprise the configurable system to be documented. Preferably, a collector program is deployed to collect the configuration data. A collector program is a program constructed to collect configuration data from one or more configurable systems, and is constructed specifically for each platform or configurable system and collects the raw data for transmission into a Documentor. The configuration data is then preferably encrypted (especially in the case of transmitting the data over the Internet) before being transmitted to the Documentor.

A Documentor, (alternatively referred herein as a Documentation Server) is a computer program that receives configuration data as its input and generates documentation as its output, primarily when receiving the data from a configurable system and generating documentation pertaining to the system. It performs this function by outputting a template, or pre-determined text segments relating to configuration parameters or to a group of inter-related configuration parameters. The text segments of which the document is comprised are primarily explanatory in nature and are composed to improve the understanding of meaning and effects of the configuration parameters to which they relate. Optionally, drawings and tables are also outputted as needed to increase the understanding and readability of the produced document. The drawings, tables, and text segments are outputted to paper, a computer screen, the Internet, or any other appropriate output device or method. Additionally the Documentor may output the document to a computer file.

In one alternative embodiment for a Documentor, a generic operational model is provided. The operational model embeds therein information and knowledge which is required for a proper generic system operation, and may be viewed as a set of generic implementations of operational configurations specific to the generic system. The

---

generic model therefore, details the underlying structure of the interrelationships between different sub-components of the generic case of the configurable system. Each allowable configured system is a subset of the generic configurable system. Similarly, each model of a configured system constructed according to the generic model is a subset of the generic model that reflects the configured system underlying structure as configured. Such specific models of configured systems are called "instance models".

Currently it is believed that such model is best created utilizing constraints programming, wherein the knowledge is expressed as a set of constraints on the system's configuration parameters. However as will be seen below, other, less complex methodology may be applied, both to model creation and to the primary goal of automatic documentation generation, without detracting from the invention. In a constraints-based implementation, the collection of configuration data is examined in light of the constraints expressed in the generic model and is entered into an instance model. Once completed, the instance model is a representation of the specific instance of the configurable system as configured.

Parameters that violate constraints are flagged as an error, and may or may not be entered into the instance model. Optionally, parameters may be assigned values according to the level into which they fit the generic model, and such values may be utilized later to propose changes to optimize the configurable system.

In one preferred embodiment, the collector program is downloaded onto a computer connected to the configurable system. The program then collects configuration data from all relevant individual systems comprising the configurable system. The data is transferred via the Internet to the Documentor that processes the configuration data and prepares the documentation. The documentation is then made available to the user over the Internet. Optionally, the collector program may be operated from within a World Wide Web browser and starts operating automatically after being downloaded.

In a most preferred implementation, a documentation server comprising the collector program and the Documentor portion is coupled to a local area network or an Intranet that is in communication with the configurable system to be documented. An Intranet is one or more interconnected computer networks that are characterized by being primarily

---

within the electronic bounds of an organization. Typically electronic access to an Intranet is not open to the general public, and it thus affords a protected computing environment for storing and accessing organization confidential data. Many Intranets utilize Internet like technologies, and some utilize communications provided by public communication means, for example, a dedicated line in a PSTN network. However data access to an Intranet is controlled from within the owning organization.

Coupling a documentation server directly to an *Intranet* overcomes a disadvantage of an *Internet* coupled server by maintaining the configuration data within the organization-controlled network. In an Internet coupled server the data, even if encoded and encrypted, may present a security risk for certain configurable systems. An Intranet coupled documentation server, especially when implemented as a dedicated computer, becomes a *Documentation Appliance*, operating within the confines of an organization. The Documentation Appliance is readily available to company personnel, offers local system documentation and storage of previous configurations, all while avoiding the need to send sensitive data over public networks.

Such a Documentation Appliance is preferably a dedicated server that may be adapted for documenting one or more types of configurable systems. It is also preferable to have such a Documentation Appliance keep logs of document production and that such logs will be remotely accessible to ease debugging and service. The Appliance may be coupled directly to the configurable system or may utilize an intermediary computer.

A Documentation Appliance server attached to an organization Intranet may also be configured to retrieve the configurable system configuration information according to a pre-determined schedule, and activate updated documentation production automatically. Together with the capability to compare previous and current sets of configuration parameters, a Documentation Appliance may thus produce a list of changes that occurred between activations, in effect to create a log, tracking modifications and changes in the configurable system.

There are clear advantages to accessing the documentation via a computer. To facilitate that, the invention also provides for a World Wide Web type server that is constructed to distribute the documents produced by the current invention to a web

---

browser. Since the documentation in the preferred implementation is produced by a print engine capable of producing HTML, the integration of a web server within the appliance allows any person with access rights to browse, search and view the documentation as needed.

5 In yet another embodiment of the present invention the program code required for performing the steps required for creating the document may be integrated into the configurable system itself. In such an embodiment the configuration data is already available to the document generation module. The document generation module comprises primarily of a text template, implemented as program code, text segments, or  
10 any other convenient manner, and program code to merge the configuration data within such template and output the template with merge data as a document. The program code may be integrated into the configurable system as an integral part of the configurable system code or may be implemented as an add-on module loaded and executed by the configurable system. Other embodiment details may also be integrated within the  
15 configurable system as described below.

### **Brief description of the drawings**

This invention may be better understood from the descriptions and claims which follow, and from the accompanying drawings in which:

20 Fig. 1 depicts a general schematic component and data flow diagram of a preferred embodiment of the invention

Fig. 2 is a generalized flow diagram of the collector program portion of an embodiment of the invention.

Fig. 3 is a flow diagram for generating an instance model in accordance with the  
25 invention

Fig. 4 depicts a generic model object in accordance with an embodiment of the present invention.

Fig. 5 is a partial and simplified 'C++'-like code of several classes used in model creation in one preferred embodiment.

---

Fig. 6 depicts 'C++'-like code of two 'document' methods referred to in Fig. 5 classes.

Fig. 7 depicts an example of a simplified portion of text template for another preferred embodiment of the present invention.

5 Fig. 8 is partial pseudo code showing a method for generating warning messages to the user according to the present invention.

Fig. 9 is a screen depiction of web based screen from which the documentation operation begins.

10 Fig. 10 is a screen depiction of an HTML page prior to sending collected data to documentation browser.

Fig. 11 depicts a partial sample of a table of contents for a document generated in accordance with the present invention.

Fig. 12 depicts a partial sample of documentation generated in accordance with the present invention.

15 Fig. 13 depicts another partial sample of documentation generated in accordance with the present invention.

Fig. 14 depicts another schematic implementation of the invention utilizing a database and a text template in accordance with the present invention.

20 Fig. 15 depicts a simplified diagram showing connection method of a documentation appliance in accordance with the present invention.

### **Detailed description of the invention**

25 This invention will be explained with reference primarily to Microsoft Exchange<sup>®</sup> and Windows NT<sup>®</sup> platforms by way of example only. Microsoft Exchange is a popular electronic mail server (hereinafter "Exchange"), and Microsoft Windows NT is a popular operating system (hereinafter "NT" or "Windows NT" interchangeably). It will be clear however to those skilled in the art that primarily the platform specific data need to be modified in order to modify the documentor portion of the invention to handle other types of configurable systems. Such platform specific data includes appropriate text sections



---

and appropriate constraints or rules to define the underlying structure and the acceptable variable values and relationships. Similarly, it will be clear that while the collector portion of the current invention is platform and application specific, adapting the collector program described in this application to operate in a specific platform is a matter of common skill.

In its most basic form, the invention involves a database containing a set of predetermined text sentences or paragraphs, associated with at least one specific variable. A collector program is provided for reading configuration parameters from a configurable system, and the associated text paragraph is outputted together with the configuration parameters. Optionally entries are made in a table of contents for text paragraphs, and the table of contents is outputted as well. The output may be to a printer, a screen, or a file. Output may also utilize the World Wide Web technology to offer organized access to the documentation, in which case the table of contents is best composed of hyperlinks to appropriate sections. Another alternative output forms include audio and video output. An audio output may be generated by a text to speech translation module. Video output require a video template, similar to the text template described herein, but adapted for video signals and for embedding external values such as configuration parameter values, in a predetermined video stream.

As noted above, the invention may also be practiced by integrating the steps described herein into the configurable system code. For example, a module may be integrated into a Microsoft Exchange server that will retrieve all configuration parameters directly from the Exchange system within which it operates. Alternatively, a Documentor program may be operated on a computer that is a part of the configurable system. For example, a Documentor program may be operated on a computer utilized as a Windows NT domain controller, where much of the configuration data is locally available in a system adapted for documenting a Windows NT environment. The document generation steps described herein are similar with the primary difference being the location where certain portions of the invention are executed.

While novel and useful even at this basic level, the invention further benefits the user by grouping similar features and/or variables together, for example listing all domain

---

controllers in an NT domain, or creating a list of all mail transfer agents (MTA) scheduled to run in an Exchange organization, including their prospective protocols or schedule. Optionally, the Documentor portion may collect similar information from multiple servers. So, for example, replication information between database servers may  
5 be listed together to ease understanding of the proper propagation order. Such information will preferably be grouped in close proximity with several paragraphs explaining the process of propagation and the meaning of each of the related variables. As further explained below, utilizing constraints or rules eases verification of proper configuration.

10 The preferred implementation will contain general data explaining the generic operation of the configurable system, together with system specific data as configured. Preferably, generic and specific advice relating to configuration will be placed in proximity to system information relating specifically to the system being documented.

For an explanation of the operation of the invention, reference is now made to the  
15 drawings, depicting preferred embodiments of the invention, shown here for illustrative purposes only, primarily for operation on a Microsoft Exchange platform.

In Fig. 1 the documentation server 100 in a preferred implementation is located remotely to the client Exchange organization 170. The documentation server 100 is connected to Exchange organization 170 via the Internet or an Intranet. A client  
20 workstation 150 is the intermediary between the documentation server 100 and the Exchange organization 170. It will be clear however, that the client workstation 150 may be an integral part of the Exchange organization 170 or even an Exchange server per se, such as 174, 180 or 185. The client workstation 150 enables access to the Exchange servers with sufficient access rights to allow a program running thereon to access the  
25 required configuration data in the registry and in the Exchange directory. Additionally, in this preferred implementation, the client workstation should have an operational web browser 160 from which documentation production operations may be initiated.

The exchange organization depicted in Fig.1 is a generic organization having at least one Exchange Source Server 174, and any number of servers, only two of which are

---

shown, designated as 180 and 185. The Exchange directory 176 resides on the source server 174.

Utilizing the process begins with a client creating a connection from client workstation 150 to the documentation server 100 via the web browser 160. The client  
5 than downloads 11 a copy 125 of the collector program 120 to the client workstation. In this preferred embodiment the collector program is constructed as an ActiveX<sup>®</sup> program or a Java<sup>®</sup> (Sun Microsystems, Palo Alto, CA) program, and the copy of the collector 125 begins operating automatically after it was downloaded.

Fig. 2 depicts the operation of the collector program. After program initialization  
10 200, the collector program 125 connects to the Exchange Source Server 174 as depicted in step 12 in Fig.1, and extracts 220 the Exchange Directory information 176. Next, the collector program proceeds to extract 240 registry data 178 from the Exchange Source Server 174 in step 13, and retrieves registry data 182 and 187 for all other Exchange servers in the organization, as shown in steps 13 a, b ...n in Fig. 1. Clearly, while Fig.1  
15 shows only three servers, this depiction is for explanation purposes, and the number of servers may vary from one to any number supportable by the configurable platform. For increased efficiency, the steps of collecting the configuration data from the various servers in steps 13b through 13n are carried out simultaneously.

Collector program 125 then creates 250 an HTML page 255, compresses the data  
20 collected in steps 12 and 13 a...n, and encodes 260 the data for compatibility with transmission using the HTTP protocol. The data is than embedded in HTML page 255, preferably as hidden text. The collector program 125 than loads HTML page 255 into web browser 160, and points 270 client web browser 160 to the page 255. An example of the HTML page 255 when acted upon by the web browser as depicted in Fig. 10. The  
25 user is given the option, by activating button 1010, to send the data to documentation server 100.

While the mechanism of collecting the configuration data shown in steps 220 and 240 is described uniquely as applicable to Exchange environment, those steps constitute the mechanics of collecting configuration information specific to the platform. The function  
30 of automatic collection of the configuration data may be performed by any known means

---

without departing from the invention. Adaptation of the collector program described above for different platforms requires only regular programming skills and general knowledge of the platform. Alternatively, the collector program may be constructed to operate through other communication and collecting methods such as SNMP for network nodes, in which case no HTML communications is required and is often unavailable. In the case of the Documentation Appliance, the collector program may be implemented as a collector program module operating on the Appliance, with the configuration data retrieved directly from the configurable system by the module.

Fig. 3 details the operation of instance model creator 134. The model creation happens within the document generator 130. Once the user sends the data embedded in HTML page 255 to the documentation server 100, the program retrieves 310 the information from the web page, decodes and decompresses 320 the data. The data is then parsed into variable names and corresponding values in steps 330 and 350. The raw data is stored in a database 132. Doing so allows easy approach to different data views as needed. The parsed data is then presented, one variable at a time, to step 360 in which an instance model is created.

In a preferred embodiment the instance model 145 is an object-oriented artifact assembled from instances of predefined object types described in a generic model 140 that is incorporated into the documentation server 100.

The generic model 140 for a specific application domain (e.g., Microsoft Exchange, SAP database, or a specific computer operating system) consists of a set of classes describing objects available in the configurable system universe. Thus, generic models are specific to a particular configurable system domain: for example, at least one generic model is provided for Microsoft Exchange, while another one is provided for Windows NT, and so on.

Each type of object in the configurable system universe that is relevant to the task performed by the current invention is represented in the generic model in the form of a class. The class describes its composition (in terms of lower level objects) and structure (in terms of relationships among its components, e.g. Part-Of, Is-A, etc.). Optionally,

---

behavior can also be expressed as part of the model, in the form of additional relations among constituent parts and/or attributes, describing correct and/or faulty functioning.

By way of example, in a Windows NT domain, there will be a library object describing a server, and certain server characteristic parameters such as name, version information, and the like. Constraints may be attached to each of those variables, for example a constraint that the domain name has to be the same for the server as for the whole domain is needed to verify that the domain is consistent. However more complex requirements, for example communications capability between servers, require that a whole class of objects dealing with network communications be enabled and consistent.

Such structural demands comprise the structural generic model 145, together with a set of constraints that are applied to this underlying structure. By adopting the generic model and the object library to specific platforms, such as mail servers, operating systems, network equipment, etc., the documentation server 100 can be modified to operate on various platforms.

A partial example of several objects relating to a model for the Microsoft Exchange platform is shown in Fig. 5 in 'C++'-like notation. By way of example, class 'Organization' 510 is the root of the model, and comprises internal attributes such as the organization name 511, and other subservient objects comprising the rest of the organization model. In this example, the vector of subservient objects is of type 'Site' shown as 516. The class Organization 510 also incorporates several methods. The posting step described below is carried out in the method 'post' 512. Rules or constraints applied to the object to check the validity of the object against the generic model are applied using the 'validate' method 513, and the method 'document' 515 is used to create the documentation that is specific to the configurable system instance.

Examining class Site 520 shows a close similarity to class Organization 510 above, with the major structural differences being the members included in the class. While the Organization class 510 included a vector 516 detailing a list of sites, each Site object details a list of Server objects 526 and a list of Protocols objects 524 with similar collection of methods. In class Server 530 we see a similar pattern yet again. Class Protocol 540 also incorporates similar methods, but being a leaf of the hierarchical model

structure, it does not include any vector of inherent objects connected thereto. It will therefore be clear to any person familiar with the organization and operation of the Microsoft Exchange software, that the construction shown in Fig. 5 represents not only a collection of objects of the types described above, but also the underlying structure of a Microsoft Exchange installation. It will also be clear that similar constructs may be created for other configurable systems such as a Windows NT domain, a network organization, Lotus Notes software, database servers etc.

In the process of instance model creation 360, each applicable configuration variable is examined against the generic model. In this step, known as the 'post' or 'posting' step, an object instance is created for each relevant configuration variable. Variables that conform to the generic model and pass the constraints imposed on the instance object are posted in the instance model. Posting occurs in an object-oriented manner that maintains a structural semblance to the underlying principles defined in the generic model for the platform as described above.

Constraints may be divided primarily into two categories: hard and soft constraints. Hard constraints are such that a violation thereof may prevent the system from operating, while soft constraints are mainly related to performance issues, and a violation of such soft constraints will allow the continued system operation, albeit in less than optimal manner. Whether a constraint is a hard or soft, is particular to each constraint and is responsive to the value of one or more variables. Additionally, as is well known in the art, constraints may be quantitative, and assign values corresponding to a level of conformance with the generic model. For example, such values are utilized for providing the user with suggestions and warnings related to optimizing the configurable system performance and/or to modifications required for maintaining optimal system operational status.

Fig. 4 presents a simplified view of the document construction carried out in the document generation module 138 portion of the documentation generator 130. A documentation template 430 describing and explaining different aspects of the system is created and stored in the documentation server 100. The template may be stored in separate files, as part of the model, or as data available to the documentation generator

---

138 in any convenient format. Internal attributes and sub-components are integrated into the template as needed. Figs. 12 and 13 are sample documentation pages, while Fig. 11 is a sample of a table of contents; all generated by the current invention. As can be observed in Figs. 12 and 13 drawings may also be embedded in the template.

5 Fig. 6 is a partial listing of a computer program, written in a 'C++'-like language. The numeral 610 designates a simplified sample of the 'document' method 525 code of an object of class 'Site' 520. The method uses the 'C++' standard output stream 'cout'. Portions of the documentation template 430 are embedded in the first output statement 613 in the form of text strings like "The site" 618. The output statement 613 also  
10 includes internal attributes 420 such as the variable 'm\_name' 615 and sub-components 410 such as the method 'm\_servers.size()' 617. Additionally, the method calls other documenting methods in all servers in its 'm\_servers' lists seen in 614 and all protocols in its 'm\_protocols' list as seen in 616. While simple attributes such as 'm\_name' are outputted directly from class members or global variables, other outputs occur from  
15 methods internal as well as external to the method. Since each 'document' method dictates the order in which the subservient objects print, a very orderly and well-organized document can easily be produced. Attention is also called for the 'endl' statement 619 at the end of the cout statement 613, which is an example of the formatting information imparted by the program. More complex formatting, merging information,  
20 tables and drawings may be incorporated from such predetermined data or taken from files external to the program to be merged in the output document.

Fig 6. Also shows a method of generating the table of contents or TOC. Statement 611 supplies the current location in the output stream to a procedure named TOC\_Entry, which stores the context and associated location for further generation of the table of  
25 contents. Similarly, the procedure "Index\_Entry()" provides the index context, in the example the site name and the location within the output document. If for example the standard output stream 'cout' statements is redirected to one computer file, both the TOC and index generating procedures simply output the indexing information into one or more separate index files. Generating an index and TOC from such files is a simple procedure,  
30 and the TOC and index may be created according to the viewing method, e.g. by

---

hyperlinks that are dynamically generated when the document is read on screen, or by printing the information when the document is reproduced on paper.

Fig. 6 also shows another example of the document method common to most if not all nodes in the model. In the 'Server::document' method 650 output statement 660

5 generates documentation output without calling any external method.

In a preferred implementation, the output produced by the Documentor is a set of printing instructions for a virtual printing machine. Using specific drivers, the documentor is then able to produce documentation in different formats such as HTML, Postscript, PCL, Latex<sup>®</sup>, Adobe Acrobat<sup>®</sup> Microsoft Word<sup>®</sup> document, or any other  
10 desired format. The language for the virtual printing machine contains, among other constructs, commands for describing the document layout, such as chapter, section, subsection, and similar constructs. Those commands automatically create the appropriate entry in the optional TOC and index. Other commands for the virtual printing machine include commands for specifying document composition, such as structured elements  
15 such as tables and bulleted lists, and/or unstructured elements such as paragraph, note, warning, and hints. Additional virtual printing machine commands include formatting instructions like vertical/horizontal space, indentation justification and the like, as well as font management functions such as color, bold, italic, etc.

The virtual printing machine is implemented using object oriented programming  
20 techniques, which provides a multiplexer class. Implementing the commands described above in a manner similar to the standard 'C++' stream manipulators and overloading the '<<' operator, from the point of view of the Documentor, the multiplexer class is used the same way as standard 'C++' streams. The virtual printing machine also provides several driver classes, one for each type of format or formatting language. Each class implements  
25 the translation of the printing commands to the target formatting language.

A simplified description of the output process is as follows: The Documentor creates one multiplexer instance to which it attaches instances of drivers for all the required types of output. Every time the documentor uses the output '<<' operator, the desired information or printing construct is sent to the multiplexer which distributes it to all the  
30 drivers currently attached to it. Each driver then creates an output according to its specific



---

formatting language. The drivers also create the table of contents and index in a desired manner that fits the formatted output, such as HTML style hyperlinks for an HTML document or as formatted and printable TOC and index for paper output.

Optionally, the invention may further use the raw data database 132 to allow user  
5 specified view of data specific to the configurable system in question. The raw data  
database may best be managed by a database management system against which queries  
may be posted, and in which the data retrieved forms the basis for the view. The  
creation of such a view will allow generating partial documentation, for example  
detailing the entire information specific to a single subnet in a network. This allows  
10 users to concentrate on limited areas of interest; for example, a network under direct  
supervision of a specific user. This feature may be further enhanced by the addition of  
pointers from the database to related objects in the instance model, since only the relevant  
portion of the instance model can easily be created as separate documentation with  
grouping of similar parameters in stored separate subsections of the model. Query results  
15 may also be embedded in the output document either according as predetermined by the  
template or according to user preferences, in a system that includes a user interface  
portion to accept user input for selecting document generation options.

In a simpler embodiment of the present invention depicted generally in Fig. 14, the  
process of document generation does not include constraint-based model creation. In  
20 such an embodiment the raw data is placed in raw data database 132 and is associated  
with parts of the documentation, (or text segments) that form template 1450 that  
correspond to the variables relevant to the documentation of the configurable system.  
Alternatively, template 1450 may be a predetermined document template, which includes  
placeholders for the results of specific queries such as the names of all servers, name of  
25 all domain controllers, etc. A documentation generation module 1410 reads the template,  
and when a query is encountered, it is parsed, presented to the database 132 and the  
results outputted to the document by a documentation generation module 1410. Fig. 7  
presents a simple portion of a template to generate partial documentation for a Windows  
NT domain. Queries to the database 710, 720 and 730 are enclosed between character  
30 strings '<<<<' and '>>>>'. When the documentation generation module 1410 encounters a  
query such as 710, it parses the query and the results are inserted into the output stream.

---

The documentation generation module 1410 can also parse constructs such as variable name resolution and substitution, and an if statement as shown in 720, and decide which of the two statements 730 or 740 to output. The example depicted in Fig. 7 shows a simple but effective method to automatically generate elaborate documentation from the collected configuration data without the use of a complete object oriented model.

Optionally, a simple error checking and reporting routine may also be incorporated, in which a collection of rules is stored in the program and relevant variables are checked against those rules. Fig. 8 depicts a pseudo-code portion of such rule-checking program. In accordance with Fig. 8 an example 810 of such rules is to warn the user 820 if the number of mailboxes on the server multiplied by the desired mailbox disk space allocation, (or 5 MB in this example) is smaller than the available disk space. The rule may further be constructed to issue warning or error messages, or to propose more fitting values for a parameter based on the value of one or more parameters. For example, the rules or constraints may compute and output a suggestion to modify the size of a virtual memory disk swap file in response to actual RAM memory and available disk space in a server operating under Windows NT. Such proposed values may be based on an arbitrarily complex set of computations emanating from the configuration parameters or based on general system knowledge and experience.

Another objective of the current invention was previously described as comparing current with previous configurations of the configurable system to aid in troubleshooting. This objective is easily achieved by storing an older model or raw configuration data of an operational system. When a problem is observed in the configurable system operation, a present model or raw data set is collected and the new and old set of configuration data or model may be compared to each other. Outputting variables with different values between the two configurations will allow consideration of only those variables that have been modified, and thus will ease troubleshooting of the system as presently configured.

Fig. 15 depicts the Documentation Appliance described above. While the methods of document generation are similar to the methods already described, the Documentation Appliance 1500 utilizes a collector module 1520 to perform the configuration data

---

retrieval directly from the configurable system. The documentation appliance is also connected to an Intranet 1510 that comprises one or more interconnected networks and that is coupled to the configurable system as depicted by the Exchange Organization 170. Optionally, the documentation appliance also incorporates a web server 1560 to distribute  
5 the documentation to other computers. Optionally a scheduler 1550 is provided to activate the documentation generation according to a predetermined schedule.

Once the documentation is generated with a computer readable main body and a table of contents, additional capabilities, such as searching and editing, may be easily added to the features of the current invention as is well known in the art.

10 While there have been described what are at present considered to be the preferred embodiments of this invention, it will be obvious to those skilled in the art that various other embodiments, changes, and modifications may be made therein without departing from the spirit or scope of this invention and that it is, therefore, aimed to cover all such changes and modifications as fall within the true spirit and scope of the invention, for  
15 which letters patent is applied.

---

## Claims

1. A method for automatic production of documentation for configurable computerized systems, comprising the steps of:
  - a) retrieving configuration parameters having values associated therewith, from  
5 a configurable system into a computer;
  - b) outputting explanatory text segments corresponding with at least one of said configuration parameters and the value associated with said parameter, to form a document or a portion thereof.
2. The method of claim 1 further comprising the step of automatically selecting said  
10 explanatory text segments by said computer, in accordance with said configuration parameters.
3. The method of claim 2 wherein said step of retrieving is performed using a collector computer program operating on a first computer, and collecting said configuration parameters from said configurable system, wherein said step of  
15 selecting is performed by a second computer.
4. The method of claim 3 further comprises the step of transferring said configuration parameters from said first computer to said second computer via the Internet.
5. The method of claim 3 further comprising the step of downloading said collector  
20 program onto said first computer.
6. The method of claim 5 further comprising the step of automatically activating said collector program after said step of downloading.
7. The method of claim 5 further comprising the step of initiating said step of downloading from within a World Wide Web Browser.
- 25 8. The method of claim 1 further comprising the step of constructing a table of contents for said document.
9. The method of claim 8 wherein said configurable system is at least one selected from a group consisting of a configurable software application, a computer

---

operating system, an electronic messaging system, a database management system, an enterprise resource planing system, a mass storage platform, file server system, a network router, and a network switching device.

- 5 10. The method of claim 8 wherein said configurable system is selected from a group consisting of a Lotus Notes system, Novel Groupwise system, Microsoft Windows NT server, Microsoft Windows NT domain, Microsoft Windows 2000 system, Microsoft Windows 2000 domain, Unix operating system, Linux operating system, Sun Solaris operating system, EMC<sup>2</sup> mass storage system, a Baan enterprise management system, a Peoplesoft enterprise management system, 10 an Oracle database management system, and a Microsoft SQL Server database management system.
11. The method of claim 8 wherein said configurable system is a SAP enterprise management system.
12. The method of claim 8 wherein said configurable system is a Microsoft Exchange 15 messaging system.
13. The method of claim 1 wherein said configurable system is at least one selected from a group consisting of a configurable software application, a computer operating system, an electronic messaging system, a database management system, a mass storage platform, file server system, a network router, and a 20 network switching device.
14. The method of claim 1 wherein said configurable system is at least one selected from a group consisting of a Microsoft Exchange organization, Lotus Notes system, Novel Groupwise system, Microsoft Windows NT server, Microsoft Windows NT domain, Microsoft Windows 2000 system, Microsoft Windows 25 2000 domain, Unix operating system, Linux operating system, Sun Solaris operating system, EMC<sup>2</sup> mass storage system, a Baan enterprise management system, a Peoplesoft enterprise management system, an Oracle database management system, and a Microsoft SQL Server database management system.





---

35. The method of claim 2 wherein said step of selecting is being performed by a software module integrated into said configurable system.

36. A system for automatic production of documentation for configurable computerized systems, comprising:

- a) a first computer having data communication capability;
- b) means for retrieving configuration parameters from a configurable system and communicating said parameters into said first computer;
- c) means for generating explanatory documentation specific for said configurable system in accordance with said configuration parameters; and,
- d) means for outputting said documentation.

37. The system of claim 36 wherein said means for retrieving comprises a computer program executed on a second computer coupled to said configurable system and wherein said first computer is in communication with said second computer via a data network.

38. The system of claim 36 wherein said communication is conducted by means of the Internet.

39. A system for automatic production of documentation for configurable computerized systems, comprising:

- a) a collector computer program adapted to retrieve configuration parameters from at least one configurable system;
- b) a documentation generator program, comprising:
  - i. a text template having place holders indicating placement of one or more configuration parameters;
  - ii. a data parser in communication with said collector program, said parser adapted to parse said configuration parameters into associated values and merge said values into said template; and,



---

iii. an output module adapted to output said text template with said merged values to form a document or a portion thereof.

40. The system of claim 39 further comprising a set of acceptable values for at least one of said configuration parameters and wherein an error condition indication is outputted if the value of a configuration parameter violates said acceptable values.

41. The system of claim 39 further comprising a database and a database management system for storing said configuration parameters, and wherein said database management system is adapted to respond to queries and output a portional view of said configuration parameters for output into said document.

42. The system of claim 39 further adapted to store at least a first and a second set of said configuration parameters and to output parameters having value difference between said first and second set.

43. A method for automated production of documentation for configurable computerized system, comprising the steps of:

- a) Downloading a collector computer program to a first computer which is in communication with a configurable system;
- b) collecting configuration parameters from a configurable system using said collector program;
- c) transmitting said configuration parameters into a second computer having a documentation generator program operable thereon;
- d) outputting a document having explanatory text and said configuration parameters embedded therein by means of said documentation generator, wherein said document is characterized by having said explanatory text being proximal to correlated configuration parameters, and by having a table of contents detailing relative location of certain segments of said explanatory text.

44. The method of claim 43 further comprising the steps of storing a first and a second set of configuration parameters; and, comparing said first set and second set and outputting differences therebetween.

45. The method of claim 43 wherein said configurable system is at least one selected from a group consisting of a configurable software application, a computer operating system, an electronic messaging system, a database management system, an enterprise resource planing system, a mass storage platform, file server system, a network router, and a network switching device.
46. The method of claim 43 wherein said configurable system is a SAP enterprise management system.
47. The method of claim 43 wherein said configurable system is a Microsoft Exchange messaging system.
48. The method of claim 43 further comprising the step of outputting said documentation in a format compatible with a format selected from the group consisting of HTML, Postscript, Latex, PCL, Microsoft Word, and Adobe Acrobat.
49. A method for automatic production of documentation for configurable computerized systems, comprising the steps of:
  - a) coupling a computer with at least a portion of a configurable system via an Intranet;
  - b) retrieving configuration parameters having values associated therewith, from a configurable system into said computer;
  - c) outputting explanatory text segments corresponding with at least one of said configuration parameters and the value associated with said parameter, to form a document or a portion thereof.
50. The method of claim 49 further comprising the step of automatically selecting said explanatory text segments by said computer, in accordance with said configuration parameters.
51. The method of claim 49 wherein said step of retrieving is performed using a collector computer program coupled to said configurable system.

- 
52. The method of claim 49 further comprising the step of constructing said collector program as an ActiveX<sup>®</sup> program.
53. The method of claim 49 further comprising the step of constructing said collector program using the Java<sup>®</sup> programming language.
- 5 54. The method of claim 49 further comprising the step of automatically retrieving said configuration parameters in accordance with a predetermined schedule.
55. The method of claim 49 further comprising the step of constructing a table of contents for said document.
- 10 56. The method of claim 55 wherein said computer is coupled via an Intranet to at least one configurable system selected from a group consisting of a configurable software application, a computer operating system, an electronic messaging system, a database management system, an enterprise resource planing system, a mass storage platform, file server system, a network router, and a network switching device..
- 15 57. The method of claim 55 wherein said configurable system is at least one selected from a group consisting of Lotus Notes system, Novel Groupwise system, Microsoft Windows NT server, Microsoft Windows NT domain, Microsoft Windows 2000 system, Microsoft Windows 2000 domain, Unix operating system, Linux operating system, Sun Solaris operating system, EMC<sup>2</sup> mass storage system, a Baan enterprise management system, a Peoplesoft enterprise management system, an Oracle database management system, and a Microsoft SQL Server database management system.
- 20 58. The method of claim 49 wherein said computer is adapted to produce documentation for a plurality of configurable systems.
- 25 59. The method of claim 49 further comprising the step of maintaining an activity log detailing operations of said steps of retrieving and outputting.
60. The method of claim 55 further comprising the step of outputting said documentation in at least one format compatible with a format selected from the
-

---

group consisting of HTML, Postscript, Latex, PCL, Microsoft Word, and Adobe Acrobat.

61. The method of claim 49 wherein said configurable system is at least one selected from a group consisting of a configurable software application, a computer  
5 operating system, an electronic messaging system, a database management system, a mass storage platform, file server system, a network router, and a network switching device.

62. The method of claim 49 wherein said configurable system is at least one selected from a group consisting of a Microsoft Exchange organization, Lotus Notes  
10 system, Novell GroupWise system, Microsoft Windows NT server, Microsoft Windows NT domain, Microsoft Windows 2000 system, Microsoft Windows 2000 domain, Unix operating system, Linux operating system, Sun Solaris operating system, EMC<sup>2</sup> mass storage system, a Baan enterprise management system, a Peoplesoft enterprise management system, an Oracle database  
15 management system, and a Microsoft SQL Server database management system.

63. The method of claim 49 wherein said configurable system is a SAP enterprise management system.

64. The method of claim 49 wherein said configurable system is a Microsoft Exchange messaging system.

65. The method of claim 49 further comprising the step of outputting said  
20 documentation in at least one format compatible with a format selected from the group consisting of HTML, Postscript, Latex, PCL, Microsoft Word, and Adobe Acrobat.

66. The method of claim 49 wherein at least two of said explanatory text segments are  
25 being grouped in accordance with interrelationship of their corresponding parameters.

67. The method of claim 49 further comprising the step of generating an index of selected parameters and paragraphs detailing relative location of said parameters and paragraphs within said document.

---

---

68. The method of claim 49 further comprising the steps of:

c) providing a computer readable set of rules, at least one of said rules having a range of acceptable values associated with one or more configuration parameters for said configurable system; and,

5 d) comparing said retrieved configuration parameters against said set of rules.

69. The method of claim 68 further comprising the step of outputting an indication of error conditions if at least one of said configuration parameters violates one or more of said rules.

70. The method of claim 68 wherein at least one of said rules also comprise  
10 indications of desired values for said associated parameter, and further comprising the step of outputting information conveying said desired values.

71. The method of claim 70 wherein said desired values are computably modifiable.

72. The method of claim 49 wherein said explanatory text is arranged in a text  
15 template having placeholders embedded therein and further comprising the step of merging the values associated with said configuration variables with the template in accordance with said placeholders.

73. The method of claim 49 wherein said step of outputting further comprises the step of embedding one or more drawings within said document.

74. The method of claim 49 further comprising the step of communicating said  
20 document to another computer by means of a World Wide Web server.

75. The method for claim 49 further comprising the step of storing said retrieved configuration parameters in a database adapted to store one or more sets of configuration variables, and retrieve portions of one or more said sets in response to queries.

25 76. The method of claim 75 further comprising the step of embedding results of queries within said document.

77. The method of claim 49 further comprising the steps of:

a) storing a first set of configuration parameters from a configurable system;

---

---

- 
- 
- b) storing a second set of configuration parameters from a configurable system;  
and,
  - c) outputting differences between said first and second sets of configuration parameters.

5        78. A system for automatic production of documentation for configurable computerized systems, comprising:

- a) a computer adapted to be coupled to a configurable system via an Intranet;
- b) means for retrieving configuration parameters from said configurable system into said computer;
- 10        c) means for generating explanatory documentation specific for said configurable system in accordance with said configuration parameters; and,
- d) means for outputting said documentation.

79. The system of claim 78 wherein said means for retrieving comprises a computer program executed on a second computer coupled to said configurable system and  
15        wherein said first computer is in communication with said second computer via an Intranet.

80. A system for automatic production of documentation for configurable computerized systems, comprising:

- a) a computer coupled to said configurable system via an Intranet;
- 20        b) a collector program operated on said computer and adapted to retrieve configuration parameters from at least one configurable system;
- c) a documentation generator program, comprising:
  - i. a text template having place holders indicating placement of one or more configuration parameters;
  - 25        ii. a data parser in communication with said collector program, said parser adapted to parse said configuration parameters into associated values and merge said values into said template; and,

---

iii. an output module adapted to output said text template with said merged values to form a document or a portion thereof.

81. The system of claim 80 further comprising a set of acceptable values for at least one of said configuration parameters and wherein an error condition indication is outputted if the value of a configuration parameter violates said acceptable values.

82. The system of claim 80 further comprising a database and a database management system for storing said configuration parameters, and wherein said database management system is adapted to respond to queries and output a portional view of said configuration parameters for output into said document.

83. The system of claim 80 further adapted to store at least a first and a second set of said configuration parameters and to output parameters having value difference between said first and second set.

84. The system of claim 80 further comprising a World Wide Web server adapted to communicate said documentation to another computer.

85. The method of claim 80 further comprising the step of outputting said documentation in at least one format compatible with a format selected from the group consisting of HTML, Postscript, Latex, PCL, Microsoft Word, and Adobe Acrobat.

86. A method for automated production of documentation for configurable computerized system, comprising the steps of:

- a) retrieving configuration parameters from a configurable system, a into a computer that is in communication with said configurable system via an Intranet;
- b) selecting explanatory text segments in accordance with said configuration parameters;
- c) outputting a document having said text segments and values associated with said configuration parameters embedded therein, wherein said document is characterized by having said explanatory text being proximal to correlated

---

configuration parameters, and by having a table of contents detailing relative location of certain segments of said explanatory text.

87. The method of claim 86 further comprising the steps of  
storing a first and a second set of configuration parameters; and,  
5 comparing said first set and second set and outputting differences therebetween.

88. The method of claim 86 wherein said configurable system is selected from a group consisting of a configurable software application, a computer operating system, an electronic messaging system, a database management system, an enterprise resource planing system, a mass storage platform, file server system, a  
10 network router, a network switching device, or a combination thereof.

89. The system of claim 86 further comprising a World Wide Web server adapted to communicate said documentation to another computer.


90. The method of claim 86 further comprising the step of outputting said documentation in at least one format compatible with a format selected from the  
15 group consisting of HTML, Postscript, Latex, PCL, Microsoft Word, and Adobe Acrobat.



---

## Abstract

An automatic documentation generation and management system and method, for documenting configurable systems such as complex software applications and hardware systems is disclosed. The method retrieves configuration parameters from the configurable system and utilizes them to automatically generate an explanatory document specific to the configured system. The invention also discloses a documentation appliance system, which is a dedicated documentation server coupled to the configurable system via a communication network, preferably via an Intranet. In yet another alternative, the invention may be practiced by integrating code for automatic documentation generation within the configurable system program.




**Fig. 1**


## Fig. 2

**Fig. 3**

**Fig. 4**



**Fig. 5**

**Fig. 6**

Every NT domain has at least one domain controller designated as the 'Primary Domain Controller' or PDC for short. In this domain the PDC is <<<select server\_name from "servers" where PDC = TRUE>>>. Additionally, any


720 number of servers may operate as backup domain controllers or BDC's.  
 <<<(if(recordcount("select server\_name from "servers" where BDC = TRUE") > 0) ,  
 730 (" In this domain the BDC's are <<<select server\_name from "servers" where BDC = TRUE>>>"), 710  
 ("This domain has no backup domain controller and we recomend that one be installed")  
 740 >>>

**Fig. 7**


For Each variable do  
 switch(variable.type)  
 {  
 case Server:  
 if(Get\_Free\_Disk\_space(variable.name) <  
 (Get\_Mailbox\_Count (Variable.name) \* 5)  
 820 )  
 Warn\_User("Your server has less than 5 megabyte of free disk\\  
 space per mailbox. We recomend increasing disk size.");  
 if( is\_a\_PDC(variable.name) and is\_an\_SQL\_server(variable.name))  
 Warn\_User("This server is used both as a primary domain controller\\  
 and an SQL database server. You will likely get better\\  
 performance if you dedicate a seperate server for each.")  
 break  
 case ...  
 .  
 .  
 .  
 } //end switch  
 Done

**Fig. 8**





**Fig. 9**



**Fig. 10**

# Contents

<b>1</b>	<b>Organization</b>	<b>3</b>
1.1	Sites . . . . .	4
<b>2</b>	<b>Site testlab</b>	<b>5</b>
2.1	Overview . . . . .	5
2.2	Servers . . . . .	6
2.2.1	Server WAYGATE . . . . .	6
2.3	Connectors . . . . .	15
2.3.1	Internet Mail Connectors . . . . .	15
2.3.2	MSMail Connectors . . . . .	18
2.3.3	cc:Mail Connectors . . . . .	19
2.4	Monitors . . . . .	19
2.4.1	Link Monitors . . . . .	20
2.4.2	Server Monitors . . . . .	20
2.5	Directory Store . . . . .	22
2.6	Information Store . . . . .	22
2.7	Protocols . . . . .	23
2.7.1	HTTP . . . . .	23
2.7.2	NNTP . . . . .	23
2.7.3	IMAP . . . . .	24
2.7.4	POP3 . . . . .	24
2.7.5	LDAP . . . . .	25
2.8	MTA Site Configuration . . . . .	25


**Fig. 11**

## Chapter 1

# Organization

This documentation of the Microsoft Exchange organization **ecora** has been prepared at the request of **Eric Grabowski** on **Thursday, December 09, 1999 16:23:10**. The text was generated by the **ecora.com** Documentor version 1.0.0.

All Microsoft Exchange servers are organized hierarchically as follows: one or more servers make up a *site*, one or more sites make up an *organization*.



Organization **ecora** is composed of **one site, testlab**.

An organization may separate its global address list (GAL) into several parts using a mechanism called *Custom Views*.

For the organization **ecora** there are **no custom views** available.

- This IMS **will not** convert all incoming mail to a fixed width font. Converting fonts to fixed width will convert all mail into the Courier font.
- The Internet Mail Service **will not** use *Extended TURN* (ETRN) for mail queue requests. ETRN is a protocol used for requesting email from an SMTP server. Unlike POP3 or IMAP, SMTP was not designed to be used as a client to receive mail or to send mail directly to the end user. Instead, it is designed to work through an agent such as POP3 or IMAP to deliver mail. ETRN (and TURN) allows mail to be "de-queued" or unloaded from the SMTP server, so that the mail can be handled by the appropriate mail server and delivered to its proper recipients.

### 2.3.2 MSMail Connectors

The Microsoft Mail Connector is designed to allow for easy migration from the MSMail environment to the Microsoft Exchange environment. This connector also allows the two email systems to co-exist with minimum hassle or conversion issues.

There are some clear advantages to using the MSMail connector even if you do not plan on doing a migration right away. The MSMail connector's MTA is much more robust than the MSMail external program used to move mail between post offices. Also, Exchange has much better reporting and logging features than MSMail does.




## MS Mail Connector (WAYGATE)

The MSMail connector allows communication between Microsoft Exchange and MS mail. This connector is used primarily for migrating from MSMail to Exchange, but can also be used to provide limited co-existence between the two systems.


An administrator's mailbox **does not** exist. The administrator's mailbox needs to be defined in order to receive messages concerning this connector. If your MSMail connector is an important part of your Exchange environment it may be a good idea to have these alerts go to a well-monitored mailbox.

Maximum MSMail compatibility **has been enabled** for this connector. If this option is enabled, OLE objects in mail will be saved in two formats. One format supports older MSMail clients, while the other format supports newer clients.

Message tracking is **not enabled** on this connector. When message tracking is enabled, the System Attendant on the Microsoft Exchange Server maintains message activities in a log. The mail-tracking log is stored in



**Fig. 14**



**Fig. 15**

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

**DECLARATION FOR UTILITY OR  
DESIGN  
PATENT APPLICATION  
(37 CFR 1.63)**

☒ Declaration Submitted with Initial Filing **OR** ☐ Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)

**Attorney Docket Number** 21/99

**First Named Inventor** Bakman

**COMPLETE IF KNOWN**

**Application Number** /

**Filing Date**

**Group Art Unit**

**Examiner Name**

**As a below named inventor, I hereby declare that:**

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

METHOD AND SYSTEM FOR AUTOMATIC DOCUMENTATION OF CONFIGURABLE SYSTEMS.

the specification of which (Title of the Invention)

☒ is attached hereto  
OR

☐ was filed on (MM/DD/YYYY) as United States Application Number or PCT International

Application Number and was amended on (MM/DD/YYYY) (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below

Application Number(s)	Filing Date (MM/DD/YYYY)	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

[Page 1 of 2]

**Burden Hour Statement:** This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12-97)  
Approved for use through 9/30/00. OMB 0651-0032  
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE  
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

## DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

☐ Customer Number

OR

☒ Registered practitioner(s) name/registration number listed below

Place Customer Number Bar Code Label here

Name	Registration Number	Name	Registration Number
Shalom Wertsberger	43,359		

☐ Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto.

Direct all correspondence to: ☐ Customer Number or Bar Code Label

OR ☒ Correspondence address below

Name	Shalom Wertsberger				
Address	30 Fern lane				
Address					
City	South Portland	State	ME	ZIP	04106
Country	USA	Telephone	(207) 799-9733	Fax	(207) 799-9733

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:

☐ A petition has been filed for this unsigned inventor

Given Name (first and middle if any)		Family Name or Surname	
Alexander		Bakman	
Inventor's Signature	Alex Bakman		Date
Residence: City	Hampton	State	NH
		Country	USA
Post Office Address	10 Westbridge Dr.		
Post Office Address			
City	Hampton	State	NH
		ZIP	03842
		Country	USA

☒ Additional inventors are being named on the 1 supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto



Please type a plus sign (+) inside this box → +

PTO/SB/02A (3-97)  
Approved for use through 9/30/98. OMB 0651-0032  
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE  
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

+

<b>DECLARATION</b>	<b>ADDITIONAL INVENTOR(S)</b> <b>Supplemental Sheet</b> Page <u>3</u> of <u>3</u>
--------------------	---

Name of Additional Joint Inventor, if any:		<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])			Family Name or Surname		
Daniel			Sabin		
Inventor's Signature	<i>Fabiu</i>			Date	1/11/2000
Residence: City	Madbury	State	NH	Country	USA
				Citizenship	Romania
Post Office Address	8 <del>Creshet Road</del> FRESHET RD.				
Post Office Address					
City	Madbury	State	NH	ZIP	03820
				Country	USA
Name of Additional Joint Inventor, if any:		<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])			Family Name or Surname		
Tudor			Hulubei		
Inventor's Signature	<i>T. Hulubei</i>			Date	01.11.2000
Residence: City	Hampton	State	NH	Country	USA
				Citizenship	Romania
Post Office Address	698 Lafayette Road				
Post Office Address	Bldg. #3, Appt. 3A				
City	Hampton	State	NH	ZIP	03842
				Country	USA
Name of Additional Joint Inventor, if any:		<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])			Family Name or Surname		
Shalom			Wertsberger		
Inventor's Signature	<i>Shalom W.</i>			Date	1/9/2000
Residence: City	South Portland	State	ME	Country	USA
				Citizenship	Israel
Post Office Address	30 Fern lane				
Post Office Address					
City	South Portland	State	ME	ZIP	04106
				Country	USA

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

+

034434069 034400

POWER OF ATTORNEY

POWER OF ATTORNEY  
FOR PATENT APPLICATION

ATTORNEY DOCKET NO. 21/99

As a below named assignee for the PATENT APPLICATION entitled:

**Method and System for Automatic Documentation of Configurable Systems**

the specification of which is attached hereto, I hereby appoint the following agent listed below to prosecute this application and transact all business in the US Patent and Trademark Office connected with this application and with all continuations, continuations-in-part, divisionals, renewals, substitutes, reissues, reexaminations and extensions of said application.

Shalom Wertsberger, Reg. No. 43359

**Send Correspondence to:**

Shalom Wertsberger  
Saltamar Innovations  
30 Fern lane  
South Portland, ME 04106

**Direct Telephone Calls To:**

Shalom Wertsberger  
(207) 799-9733

For assignee ecora.com Corp., a Delaware registered corporation,

*Alexander Bakman*

Alexander bakman  
President  
ECora.com Corp  
299 hanover Street  
Portsmouth, NH 03801  
USA

Date: 1/11/2000

094831069-011100

## POWER OF ATTORNEY

POWER OF ATTORNEY  
FOR PATENT APPLICATION

ATTORNEY DOCKET NO. 21/99

As a below named inventor for the PATENT APPLICATION entitled:

### Method and System for Automatic Documentation of Configurable Systems

the specification of which is attached hereto, I hereby appoint the following agent listed below to prosecute this application and transact all business in the US Patent and Trademark Office connected with this application and with all continuations, continuations-in-part, divisionals, renewals, substitutes, reissues, reexaminations and extensions of said application.

Shalom Wertsberger, Reg. No. 43359

#### Send Correspondence to:

Shalom Wertsberger  
Saltamar Innovations  
30 Fern lane  
South Portland, ME 04106

#### Direct Telephone Calls To:

Shalom Wertsberger  
(207) 799-9733

Name of Inventor Alexander Bakman

Citizenship: US

Residence: 10 Westbridge Dr., Hampton, NH USA 03842

Post Office Address: Same

Alexander Bahman  
Inventor's Signature

1/11/2000  
Date

Name of Inventor Daniel Sabin

Citizenship: Romania

FRESHET RD.  
Residence: 8 Freshet Rd., Madbury, NH USA 03820

Post Office Address: Same

Sabin  
Inventor's Signature

1/11/2000  
Date

Name of Inventor Tudor Hulubei

Citizenship: Romania

698  
Residence: 68 Lafayette Rd., Hampton, NH USA 03842

Post Office Address: Same

T. Hulubei  
Inventor's Signature

1/11/2000  
Date

09451069 "01100"